

## PFIZER BOOSTER SHOT CRITERIA

1. Age 65 years and older at least 6 months after 2<sup>nd</sup> dose.
2. Age 18-64 at least 6 months after 2<sup>nd</sup> dose with one or more underlying \*\*medical condition that makes them at risk for severe COVID disease.

### \*\*Medical Conditions at risk for severe COVID disease:

- Cancer
- Chronic Kidney Disease
- Chronic Lung Disease (COPD, asthma, interstitial lung disease, cystic fibrosis, & pulmonary hypertension)
- Dementia or Alzheimer's
- Diabetes (type 1 or type 2)
- Down syndrome
- Heart conditions (heart failure, coronary artery disease, cardiomyopathies, or hypertension)
- HIV infection
- Immunocompromised state (weakened immune system)
- Liver disease
- Overweight & obesity
- Pregnancy
- Sickle cell disease or thalassemia
- Smoking (current OR former)
- Solid organ or blood stem cell transplant
- Stroke or cerebrovascular disease
- Substance use disorders

3. Age 18-64 at least 6 months after 2<sup>nd</sup> dose who have an increased risk of COVID-19 exposure & transmission due to \*\*\*occupational or institutional setting.

### \*\*\*Occupations at increased risk of COVID-19 exposure & transmission:

- First responders (healthcare workers, firefighters, police, congregate care staff)
- Education staff (teachers, support staff, daycare workers)
- Food & agriculture workers
- Manufacturing workers
- Corrections workers
- U.S. Postal Service workers
- Public transit workers
- Grocery store workers